Hongbo Liu. Biomed J Sci & Tech Res



ISSN: 2574-1241

Mini Review Open Access

Roots of Antibiotic's Vicious Cycle through Aquatic Environment

Zihua Chen, Yongnian Guan, Yueying Fang and Hongbo Liu*

School of Environment and Architecture, University of Shanghai for Science and Technology, China

Received: September 16, 2017; Published: September 21, 2017

*Corresponding author: Hongbo Liu, School of Environment and Architecture, University of Shanghai for Science and Technology, 200093, Shanghai China Qingyuan-Hong Kong & China Water Co. LTD, 215000, Suzhou, China, Email: liuhb@usst.edu.cn

Abstract

Antibiotics, ARGs, ARB and AMR have been frequently reported in aquatic environment, which has gained increasing concern as with explosion of antibiotics. The potential adverse effects of antibiotics, ARGs, ARB and AMR are undeniably tremendous. In this paper, we think that besides overconsumption of antibiotics, WWTPs, DWTPs, agriculture, aquaculture and livestock are the roots resulting in the vicious cycle of antibiotics through aquatic environment. Simultaneously, suggestions were given to mitigate the vicious cycle.

Keywords: Vicious cycle; Roots; Antibiotic; Aquatic environment

Abbreviation: WWTPS: Waste Water Treatment Plants; ARGS: Antibiotics and Antibiotic Resistance Genes; ARB: Antibiotic Resistance Bacteria; AMR: Antimicrobial Resistance; DWTPS: Drinking water treatment plants

Introduction and Background

Antibiotics are defined as a kind of chemical therapeutic agents that kill or inhibit microorganisms. Since Alexander Fleming firstly isolated the antibiotic penicillin from the fungus Penicillium in 1928 [1], over 3000 different antibiotics have been founded or synthesized and more than 100 antibiotics have been applied in human and veterinary medicine as a preventive or curative treatment for bacterial infections. According to the global antibiotic consumption 2000 to 2010 analysis, consumption of antibiotic drugs increased by 35%, and BRICs countries account for 76% of the increase [2]. Researchers showed that a high percentage of antibiotics are excreted in an unaltered state via urine and feces into the sewage [3,4].

However, wastewater treatment plants (WWTPs) are not design for removal of micro pollutants, including antibiotics and antibiotic resistance genes (ARGs) [3], only partially eliminated in WWTPs, most of which was discharged into ambient waters (like rivers, lakes, reservoirs etc.) or groundwater [4]. Therefore, antibiotics have been frequently reported in aquatic environment, including groundwater, river water, WWTPs [5]. The existence of ARGs, antibiotic resistance bacteria (ARB), and antimicrobial resistance (AMR) has also been investigated in sewage, drinking water and surface water [6]. Study indicated that human suffer from many diseases (i.e. immune, metabolism) resulting from a systematic

effect on their body physiology by gut micro biota because of antibiotic exposure from aquatic environment [7,8]. Undeniably, serious threats to public health are existed resulting from human's exposure to antibiotics.

So are ARGs, ARB and AMR. The emergence and spread of ARB has been classified by the World Health Organization as one of the three biggest threats to public health in the 21st century [9]. Given the serious threats to global public health caused by AMR, an agreement was reached in the G20 Hangzhou Summit and UN General Assembly in 2016 to fight with AMR and to promote prudent use of antibiotics [10].

Roots of Antibiotics' Vicious Cycle though Aquatic Environment

According the precious study, antibiotics production mainly supply for human antibiotics (Household, industry, hospital), agriculture or food processing and veterinary antibiotics(Aquaculture, livestock, poultry, pets) [11] Considerable proportion of antibiotics is excreted into aquatic environment in direct or indirect way in unchanged forms, releasing into sewage, penetrating into groundwater, discharging into surface water, rivers, reservoirs and lakes etc. We think that the following four aspects are roots leading to vicious cycle of antibiotics in aquatic environment:

WWTPs: WWTPs have been considered as hotspots and main sources of antibiotic, ARGs and ARB to release into various compartments of the environment [12]. Most of the used antibiotics are released into aquatic environment mostly by effluents from WWTPs. WWTPs is also particularly noteworthy that it has been regarded as collection points for ARB and breeding ground for ARGs to proliferate [13].

Drinking water treatment plants (DWTPs): As a disinfection method in DWTPs, chlorination was reported that it can elevate the total relative abundance of ARGs in opportunistic bacteria [14]. Study also showed that disinfection byproducts can induce the ARGs [15]. Subsequently, the possibility that antibiotics even ARGs enters into human or animals' body is elevated.

Agriculture: As was stated, antibiotics penetrate into sediment or soil in varieties ways (i.e. surface runoff). And then was uptake by the crops, which is toxic to primary producer and higher tropic level [16]. Ultimately, antibiotics even ARGs enter into human or animals' body through agriculture products.

Aquaculture and livestock: On one hand, direct discharge into rivers or land application of livestock wastes on agricultural lands is a common practice in countries that still have no specific treatment requirements for livestock wastes [5]. On another hand, antibiotics 'risk even ARGs-containing aquaculture and livestock products become higher because of the use of antibiotics contaminated rivers or lakes' water for aquaculture and livestock, aquatic. In conclusion, including antibiotics' overconsumption, WWTPs, DWTPs, agriculture, aquaculture and livestock are the real reasons resulting in the vicious cycle where antibiotics, ARGs, ARB and AMR interact with each other and all of them gradually increases in water cycle chain and food chain through aquatic environment. Measures from all aspects must be taken to avoid the inappropriate use of antibiotics. What's more, much more attention should be paid to WWTPs that have been regarded as hotspots and main sources of antibiotic releasing to environment. We think that advanced treatment (Membrane technologies, ozone disinfection, sorption etc.) has been imperative to enhance crucial role of WWTPs to eliminate antibiotics to the largest extent before the vicious cycle caused by antibiotics, ARGs, ARB and AMR become worse.

Acknowledgement

This work was financially supported by the Natural Science Foundation of China (NSFC No. 21206092).

References

 Kumar RR, JT Lee, JY Cho (2012) Fate, occurrence, and toxicity of veterinary antibiotics in environment. Journal of the Korean Society for Applied Biological Chemistry 55(6): 701-709.

- Van Boeckel TP, Sumanth Gandra, Ashvin Ashok, Quentin Caudron, Bryan T Grenfell, et al. (2014) Global antibiotic consumption 2000 to 2010: an analysis of national pharmaceutical sales data. The Lancet Infectious Diseases 14(8): 742-750.
- Pruden A, Ruoting Pei, Heather Storteboom, Kenneth H Carlson (2006)
 Antibiotic resistance genes as emerging contaminants: studies in northern Colorado. Environmental Science & Technology 40(23): 7445-7450.
- Mcardell CS, McArdell, Eva Molnar, Marc JF Suter, Walter Giger (2003) Occurrence and fate of macrolide antibiotics in wastewater treatment plants and in the Glatt Valley watershed, Switzerland. Environmental Science & Technology 37(24): 5479-5486.
- Zhang QQ, Ying GG, Pan CG, Liu YS, Zhao JL (2015) Comprehensive evaluation of antibiotics emission and fate in the river basins of China: source analysis, multimedia modeling, and linkage to bacterial resistance. Environmental Science & Technology 49(11): 6772-6782.
- Zuccato E, Castiglioni S, Bagnati R, Melis M, Fanelli R (2010) Source, occurrence and fate of antibiotics in the Italian aquatic environment. J Hazard Mater 179(1-3): 1042-1048.
- 7. Wang H, Wang N, Wang B, Zhao Q, Fang H, et al. (2016) Antibiotics in Drinking Water in Shanghai and Their Contribution to Antibiotic Exposure of School Children. Environ Sci Technol 50(5): 2692-2699.
- 8. Belkaid Y, TW Hand (2014) Role of the microbiota in immunity and inflammation. Cell 157(1): 121-141.
- 9. Rodriguez-Mozaz S, Chamorro S, Marti E, Huerta B, Gros M, et al. (2015) Occurrence of antibiotics and antibiotic resistance genes in hospital and urban wastewaters and their impact on the receiving river. Water Res 69: 234-242.
- Ying GG, Liang Ying He, Andrew J YingS, Qian Qian Zhang, You Sheng Liu
 , et al. (2017) China Must Reduce Its Antibiotic Use. Environ Sci Technol
 51(3): 1072-1073.
- 11. Goel S (2015) Antibiotics in the Environment: A Review 1198: 19-42.
- Rizzo L, Manaia C, Merlin C, Schwartz T, Dagot C, et al. (2013) Urban wastewater treatment plants as hotspots for antibiotic resistant bacteria and genes spread into the environment: a review. Sci Total Environ 447: 345-360.
- Mao D, Yu S, Rysz M, Luo Y, Yang F, et al. (2015) Prevalence and proliferation of antibiotic resistance genes in two municipal wastewater treatment plants. Water Res 85: 458-466.
- 14. Jia S, Shi P, Hu Q, Li B, Zhang T, et al. (2015) Bacterial Community Shift Drives Antibiotic Resistance Promotion during Drinking Water Chlorination. Environ Sci Technol 49(20): 12271-12279.
- 15. Li D, iyu Zeng, Miao He, April Z Gu (2016) Water Disinfection Byproducts Induce Antibiotic Resistance-Role of environmental Pollutants in Resistance Phenomena. Environ Sci Technol 50(6): 3193-3201.
- Bielen A, et al. (2017) Negative environmental impacts of antibioticcontaminated effluents from pharmaceutical industries. Water Research.



Assets of Publishing with us

- Global archiving of articles
- Immediate, unrestricted online access
- Rigorous Peer Review Process
- Authors Retain Copyrights
- Unique DOI for all articles

http://biomedres.us/